



### UV Information and Contact

Name	Seabotix LBV300S-6
Mission Type	Inspections

### General Specifications

Beam (m)	--
Draft (when resurfaced) (m)	--
Frame	Polyethylene bumper frame
Tether description	--

### Support Vessels Requirements

Control vane	--
--------------	----

### Speed Duration and Range of Operation

Diving and resurfacing speeds (m/s)	--
Max. cruising range	--
Normal dive duration (hours)	--
Cruising speed (m/s)	2,06

#### Max. Speed:

Forward (m/s)	--
Lateral (m/s)	--
Vertical (m/s)	--

### Crew and Scientific Observers

Scientific observers (number)	--
Pilots (number)	--

### Energy

#### Total Energy Available:

Propulsion and steering (kWH)	--
Scientific payload (kWH)	--

### Propulsion and Steering

#### Thrusters (Thrust Force)

Aft (N)	--
Lateral (N)	1
Fore (N)	4
Vertical (N)	1

Control planes arrangement	Each thruster is identical and isolated
----------------------------	---

### Pressure Hull (Manned Sphere)

Inside diameter (m)	--
Material	--
Portholes	--
Thickness (m)	--

<b>Trim Adjustment and Ballasting</b>	
Trim adjustment and ballasting	--
<b>Navigation Equipment</b>	
<b>Non-Acoustic</b>	
Attitude and heading	--
Pressure sensor	--
<b>Acoustic</b>	
Doppler	--
Altimeter	--
Longbaseline system	--
Ultrashort baseline system	--
Other equipment	--
<b>Automatic Guidance and Control Capabilities</b>	
Depth control	--
Altitude control (above the seabed)	--
Heading control	--
Speed control	--
Way-point tracking	--
Path following	--
<b>Customer - Defined Instrumentation Support</b>	
Dimensions	--
Power (kW)	--
Communication Links	--
Max. weight in water (kg)	--
Max. weight in air (kg)	--
<b>Scientific Instrumentation and Tools</b>	
Still cameras (number)	--
Lightning (number)	--
Manipulator / Sampling	--
Video cameras (number)	1
Total power (kW)	--
<b>Additional Information</b>	
Examples of missions executed	--
Examples of scientific data acquired	--
Other	--